

# *Knorex*

ISO 9001 Co.

## ELECTRONICS



## PLATFORM SCALE

### ELECTRONIC WEIGHING SCALES & SYSTEM

## Main Features

- Hi-Tech Micro Controlled based technology with Fast response weighing scales.
- Trouble free Performance Based on Rugged Load Cells.
- Overload protection up to 150% indication.
- Bright LED Display, Easy to read.
- Tare Function up to Full Capacity.
- Linearity from Least Count to Capacity.
- Accumination of Weight in Memory.
- Automatic Zero tracking.
- Low Power Indication.
- Stainless Steel / Mild Steel weighing platter.
- Membrane Key pad with tactile switches.
- In-Built Battery backup with SMF rechargeable battery


## Application :

- Industries.
- Wholesale Grain Merchants.
- Iron and Steel Market.

## Options :

- Additional detachable display with 6 mt. cord, RS-232 Computer Interface

<u>Models</u>	<u>Capacity</u>	<u>Accuracy</u>	<u>Platter Size</u>	<u>Load Cell</u>
KAP-30/60	30/60 Kg	5/10 g	300mm x 300mm	1
KAP-30/60	30/60 Kg	5/10 g	400mm x 400mm	1
KAP-30/60	30/60 Kg	5/10 g	450mm x 450mm	1
KAP-60/150	60/150 Kg	10/20 g	450mm x 450mm	1
KAP-60/150	60/150 Kg	10/20 g	500mm x 500mm	1
KAP-60/150	60/150 Kg	10/20 g	600mm x 600mm	1
KAP-200	200 Kg	20 g	500mm x 500mm	1
KAP-200	200 Kg	20 g	600mm x 600mm	1
KAP-300	300 Kg	50 g	600mm x 600mm	1
KAP-500	500 Kg	50 g	600mm x 600mm	1
KAP-500	500 Kg	50 g	750mm x 750mm	1
KAP-500	500 Kg	50 g	900mm x 900mm	1
KAP-1000	1 ton	100 g	900mm x 900mm	1
KAP-1000	1 ton	100 g	1.2mt x 1.2mt	4
KAP-1000	1 ton	200 g	1.5mt x 1.5mt	4
KAP-2000	2 ton	200 g	1.2mt x 1.2mt	4



- Operating Temperatures : 5 C to 45 C
- Power Supply : AC 230V + 10% 50 Hz
- Platform Scales of different platter size as per customer's requirement available.